



AutoHot®



On-Demand Recirculation Systems

ELIMINATE THE WAIT

The most water and energy efficient hot water delivery system is here,
delivers hot water to any fixture in your house on-demand!



MADE IN U.S.A.
5 YEAR WARRANTY



ENOVATIVE®
www.enovativegroup.com

Are You Waiting for Hot Water?

Eliminate the wait by using an on-demand recirculation system. With Enovative's **AutoHot**® System, hot water circulation has never been easier.

With flexible installation, the Enovative **AutoHot**® system will work in any situation, whether you use a tank or tankless water heater, with or without a return line, or even with an existing pump.

Contact us now to specify the system that works best for you!



Benefits of On-Demand Recirculation

- Get hot water quickly, provides the convenience of hot water on-demand
- Saves thousands of gallons of water in your home each year
- Saves energy, only operates when you need hot water
- Quick Installation whether it's a retrofit or new construction
- Works with existing plumbing, tank or tankless water heaters, we match our system to work with yours!

System Features





- Ultra-Quiet, 3-speed pump
- 5-year warranty, 15+ year life expectancy
- Many options for Activation Sensors, choose from push buttons, motion sensors, and more.
- Choose between both wired and wireless sensors
- Adjustable for absolute comfort

How it Works...

Enovative's **AutoHot**® system only runs when you tell it to, and it's smart enough to know when the water currently in the line is hot enough.

When you activate the system, the cool water that you normally let run down the drain is circulated back to the water heater through the cold line (or return line).

When the hot water arrives at your fixtures, the controller shuts off the pump to prevent pumping any hot water into the cold line.



System installed under the sink.

The -USK option includes:
 (2) Tees, (2) Flex Lines,
 (2) Flanges



Push Button Activators



*activators have both wired and wireless options

Available in multiple 3-speed pump sizes



Motion Sensor Activators



*activators have both wired and wireless options

Base Models for Residential AutoHot® Systems

Model#	Description
R000A	Residential AutoHot® System, controls only
R000A-USK	Residential AutoHot® System, controls only +undersink kit
R055A	Residential AutoHot® System with 55 series pump
R055A-USK	Residential AutoHot® System with 55 series pump +undersink kit
R099A	Residential AutoHot® System with 99 series pump
R099A-USK	Residential AutoHot® System with 99 series pump +undersink kit

Hardwired Decorative Rocker Switch



*Now With Optional LED Light Indicator

Accessories (for ordering separately)

Model#	Description	Model#	Description
WR-16A	Wireless Receiver for both push button or motion sensor	HR-S-17W	Hardwired Decorative Rocker Switch (White)
WM-S-16A	Wireless Motion Sensor	HM-S-17A	Hardwired Motion Sensor
WB-S-16A	Wireless Button Sensor	HB-S-13A	Hardwired Button Sensor

ORDER YOUR SYSTEM TODAY

STEP 1

Check for suggested model using the chart at the left bottom

STEP 2

Pick a base model that corresponds with the suggested model

STEP 3

Choose your activators and other accessories

ENOVATIVE SUGGESTED MODEL

WATER HEATER TYPE	TANK	HOUSE IS OVER 4,000 SQ.FT.	R099A OR R099A-USK
		HOUSE IS UNDER 4,000 SQ.FT.	R055A OR R055A-USK
TANKLESS	AutoHot® WILL BE INSTALLED UNDER SINK AT FARTHEST FIXTURE	100+ LINEAL FEET OF PIPE BETWEEN PUMP AND TANKLESS	R099A-USK
		UNDER 100 LINEAL FEET OF PIPE BETWEEN PUMP AND TANKLESS	R055A-USK
	AutoHot® WILL BE INSTALLED ON A DEDICATED RETURN LINE	200+ LINEAL FEET OF RECIRC LOOP PIPING	R099A
		UNDER 200 LINEAL FEET OF RECIRC LOOP PIPING	R055A

ELIMINATE THE WAIT!

P: (866) 495-2734

F: (866) 244-8639